Brief 69-10159



AEC-NASA TECH BRIEF



AEC-NASA Tech Briefs describe innovations resulting from the research and development program of the U.S. AEC or from AEC-NASA interagency efforts. They are issued to encourage commercial application. Tech Briefs are published by NASA and may be purchased, at 15 cents each, from the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia 22151.

Computer Grading of Examinations

Examinations have been graded by computers for some years, but these examinations are limited to multiple-choice questions; the ordinary computational problems cannot be used. A method of grading examinations by computer has been required in which the student can generate his own answers.

A method, using IBM cards and computer processing, has now been developed to automate examination grading and recording; it permits use of the computational problems so common in home assignments and written examinations. The student generates his own answers, and the instructor has much greater freedom in writing questions than is possible with multiple-choice examinations. Processing takes only from 2 to 10 minutes for a class of 100 students who can be examined more frequently; thus students are encouraged to keep up with their work rather than cram for big examinations.

Port-a-Punch IBM cards are used for recording the answers to questions. The first few columns of each card are reserved for identification numbers of student, course, and examination, and so on. Then one column is reserved for each "choice" answer; six, for each numerical answer. These six are coded in modified exponential form, with the first three columns used for significant figures, the last two for exponents, and the fourth for exponent sign or special symbol. In this fourth column, 1 signifies "minus", 2 signifies "plus", and 3 signifies an unconditional zero. Thus the student can differentiate an intended answer of zero from a blank one. Thus 6.03 x 1023 is punched as 603223; 5.67 x 10-s, as 567108; and 0.00, "none," or "impossible," as 000300. The fourth column, here underlined, is printed in red on the student cards for emphasis.

The instructor generates correction cards by punching the correct choice(s) for the "choice" answers, and upper and lower limits for the numerical answers. The ranges between these limits permit acceptance of answers differing from the ideal answers because of small slide-rule or round-off errors. Besides the straight numerical answers, this method has proved to be applicable to answers involving chemical equations and analytical unknowns.

With this system four examinations can be written in less time than is required for one of the standard multiple-choice type. This time advantage has been used for giving students in the same classroom four similar but scrambled examinations. Each version carries a code number which the student punches onto his answer card(s); the computer senses this number and grades the student according to the corresponding answer card(s).

This system has been kept well within the capabilities of the small computers now at many colleges, such as the IBM 1620 and the CDC 160A. Outputs include complete listings of each student's answer to each question, of grades by student number, of student numbers and grades in class-rank order, of student performance on each question by question and examination version, and of class means, medians, and modes.

Reference:

1. N. A. Frigerio, J. Chem. Educ. 44(7), 413 (July 1967).

Notes:

1. This information may interest those concerned with educational methods and techniques.

(continued overleaf)

This document was prepared under the sponsorship of the Atomic Energy Commission and/or the National Aeronautics and Space Administration. Neither the United States Government nor any person acting on behalf of the United States Government assumes any liability resulting from the use of the information contained in this document, or warrants that the use of any information, apparatus, method, or process disclosed in this document may not infringe privately owned rights.

2. Inquiries may be directed to:

Office of Industrial Cooperation Argonne National Laboratory 9700 South Cass Avenue Argonne, Illinois 60439 Reference: B69-10159

Source: N. A. Frigerio Biological and Medical Research Division (ARG-10269)

Patent status:

Inquiries concerning rights for commercial use of this innovation may be made to:

Mr. George H. Lee, Chief Chicago Patent Group U.S. Atomic Energy Commission Chicago Operations Office 9800 South Cass Avenue Argonne, Illinois 60439